

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5673	(707/6 726/2 726/29). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 12:21
S2	2	(707/6 726/2 726/29). ccls. and (authenticat\$ with client with header with (order sequence content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 12:23
S3	23	(707/6 726/2 726/29). ccls. and (authenticat\$ with client with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 12:25
S4	2	("20030196109").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/23 17:37
S5	23	(707/6 726/2 726/29). ccls. and (authenticat\$ with client with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 17:39
S6	400	(authenticat\$ with client with header) not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 17:39
S7	17	(authenticat\$ with client with header with (order sequence)) not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 17:40

S8	376	(707/6 726/2 726/29). ccls. and (authenticat\$5 near5 client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 18:20
S9	3	(707/6 726/2 726/29). ccls. and (authenticat\$5 near5 client) and (header near2 (order sequence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 18:20
S10	561	(726/29.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 18:25
S11	29	(726/29.ccls.) and (authenticat\$5 with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 18:25
S12	0	(authenticat\$5 with requesting with client with header with (sequence order))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 18:57
S13	17	(authenticat\$5 with client with header with (sequence order))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 18:57
S14	87	(identif\$5 with client with header with (sequence order))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 18:58
S15	3160	(authenticat\$5 with request with (order or sequence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 10:15
S16	7135633	(authenticat\$5 with request with (header attribute) or (order or sequence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 10:16

S17	79	(authenticat\$5 with request with (header attribute) with (order or sequence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 10:16
S18	130	(authenticat\$5 with request with (header attribute element variable) with (order or sequence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 10:16
S19	52751	(authenticat\$5 with (client application) request with (header attribute element variable) with (order or sequence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 10:17
S20	30	(authenticat\$5 with (client application) with request with (header attribute element variable) with (order or sequence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 10:17
S21	5718	(726/2 726/29 707/6). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 10:25
S22	76	(726/2 726/29 707/6). ccls. and (authenticat\$5 with pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 10:26
S23	0	(726/2 726/29 707/6). ccls. and (authenticat\$5 with client with header with pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 10:36
S24	1	(authenticat\$5 with client with header with pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 10:36
S25	425	(authenticat\$5 with client with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 10:36

S26	27	(authenticat\$5 with client with header with set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 10:36
S27	18	(authenticat\$5 with client with header with (sequence order pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 10:48

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(authenticat\$5 with client with header with (sequence order pattern))	UPAD	OR	ON	2009/12/01 13:57
L2	0	(authenticat\$5 with client with header) SAME (pattern)	UPAD	OR	ON	2009/12/01 13:58
L3	1	(authenticat\$5 with client with header) and (match \$5 near pattern)	UPAD	OR	ON	2009/12/01 13:58
L4	10	(authenticat\$5 with client with header) and (match \$5 near pattern)	US-PGPUB; USPAT; UPAD	OR	ON	2009/12/01 13:59
L5	3120	713/168.ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2009/12/01 14:23
L6	3987	(713/168,170).ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2009/12/01 14:24
L7	45	(713/168,170).ccls. and (authenticat\$5 with client with header)	US-PGPUB; USPAT; UPAD	OR	ON	2009/12/01 14:25

12/ 1/ 2009 2:37:14 PM**C:\ Documents and Settings\ pcao1\ My Documents\ EAST\ Workspaces\ case10773555.wsp**